

Dustless Concrete Promo

9 Gal Auto Clean Vacuum w/ HEPA Filtration

ASR 35 ACP HEPA
US602057800

\$719⁰⁰

- 130 CFM
- HEPA Filter Keeps back 99.995% of:
 - Dust with OEL values <0.1 mg.m²
 - Carcinogenic dusts
 - Dust containing pathogens
- Auto-Clean Plus:
 - Automatic cleaning of filters with no suction loss
- Power Sockets for Power Tools
 - Automatic start/shutdown of the Vac
- Current Control
 - Maximizes the suction power while a machine is connected so that the main fuse is not tripped



SAVE
\$100

Buy A
ASR35 ACP HEPA VAC
&
Any Tool Kit
Listed Below

Tuck Point Kit

W12-125 HD Set Tuckpoint
600408690

\$299⁰⁰

- Robust tuck pointing system with dust extraction for quick removal of mortar joints.
- Optimum visibility of work area



5" Surface Prep Grinder Kit

WE15-125 HD Set GED
600465620

\$379⁰⁰

- Universally applicable system for low-dust grinding indoors & outdoors
- Fixed segment can be opened for near-wall operation



Dust Extraction up to 9/16"
630829000

\$39⁰⁰



1" SDS-Plus Rotary Hammer

KHE-D26
601109420

\$199⁰⁰

- Combination hammer chuck for hammer drilling, drilling with out impact & chiseling
- S-Automatic torque limiting clutch



1-3/4" SDS-Max Rotary Hammer

KHE-56
600340420

\$729⁰⁰

- Combination hammer chuck for hammer drilling & chiseling
- VTC Full Wave Electronics for optimum performance even under load



Dust Extraction up to 2-3/4"
631343000

\$69⁰⁰



metabo
PROFESSIONAL POWER TOOL SOLUTIONS

New OSHA Rule on Silica Dust

Key Provisions:












- Permissible Exposure Limit (PEL) is reduced to 50 micrograms per cubic meter of air ($50 \mu\text{g}/\text{m}^3$) averaged over an 8-hour shift (down from $250 \mu\text{g}/\text{m}^3$ for construction since 1960s).
- Employers are required to provide and ensure the use of Engineering Controls.
- Employers must train workers on silica risks and how to limit exposures as well as document the controls in place and that the systems are used according to manufacturers' recommendation.



OSHA Penalties:

- Maximum penalty a company must pay per violation is up to \$12,471.
- If a company fails to correct a violation, it will face up to a maximum penalty of \$12,471 per day.
- If a company is found to have willfully or repeatedly violated occupational safety and health laws, it can face a maximum penalty up to 124,709 per violation.
- Penalties will be adjusted annually for inflation.
- Learn more at the website for the Occupational Health and Safety Administration: www.osha.gov

Key Applications and Metabo Solutions

Application	Engineering Controls Required	The Metabo Solution
Cutting Fiber-Cement board	Dust collection >99% efficient filter + auto clean	 +  + 
Drilling Concrete/Stone	Dust Collection >99% efficient filter + auto clean for drilling HEPA Filter for hole cleaning	 +  + 
Tuckpointing	Dust Collection 25 CFM/in. blade diameter >99% efficient filter + auto-clean	 +  + 
Grinding / cutting/ milling with handheld grinder	Dust Collection 25 CFM/in. blade diameter >99% efficient filter + auto-clean	 +  + 